

FOR EXTERNAL ANIMAL USE ONLY

# FIPROTEC® spot-on for cats

Reg. No. G3795 Act 36/1947

NS0 V08/18.3.6/444 Act 13/2003

## CAUTION

## INDICATIONS

For the treatment and prevention of flea infestations on cats.

As an aid in the control of ticks on cats.

- Residual action following a single dose:
  - Kills fleas for up to 5 weeks
  - Aids in the control of ticks for up to 2 weeks.

## COMPOSITION

Fipronil 9,7 % m/v

## STORAGE INSTRUCTIONS

Store in a cool dark place at or below 25 °C.

## WARNINGS

- DO NOT TREAT KITTENS YOUNGER THAN 12 WEEKS OF AGE.
- Keep out of reach of uninformed persons, children and animals.
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

## PRECAUTIONS

- Toxic to fish and bees.
- Avoid contact with hands or any other part of the body.
- Wash hands with soap and water after use.
- Do not smoke, eat or drink during application of the product.
- Dispose of used containers with domestic refuse.

## DIRECTIONS FOR USE: USE ONLY AS DIRECTED

- DO NOT bathe or shampoo animals 3 days before or 3 days after application as this will decrease the duration of the activity.
- Remove a pipette from the rack.
- Twist off the top.
- Part the hair between the shoulder blades so that the skin is visible. Empty the contents of the container directly onto the visible skin by squeezing the pipette a number of times.
- Care should be taken not to wet the hair excessively as this will impart a sticky appearance at the treatment spot. This will, however, disappear within 24 hours.
- The active ingredient (Fipronil) will spread over the entire coat of the animal within 24 hours.
- Monthly application is recommended where there is a high risk of reinfestation, if the pet is allergic to fleas, or in situations where tick control is needed.

## Application onto the skin

1 x pipette of 0,5 ml/cat up to 8 kg

## Residual effect

A single dose will provide protection against fleas for up to 5 weeks and ticks for up to 2 weeks.



Registration Holder:

**Kyron Vet Rx (Pty) Ltd**

Co. Reg. No. 2001/017471/07

41 Park Avenue

Highway Business Park

Rooihuiskraal Ext 31

**KYRON** Centurion, 0157, South Africa

010 880 0778 info@kyronvetrx.com kyron.org

# FIPROTEC® spot-on vir katte

Reg. Nr. G3795 Wet 36/1947

NS0 V08/18.3.6/444 Wet 13/2003

## VERSIGTIG

### AANWYSINGS

Vir die behandeling en voorkoming van vlooibesmetting op katte.

As 'n hulpmiddel in die beheer van bosluse op katte.

- Nawerking na enkele dosis:
  - Dood vlooie tot op 5 weke.
  - Help met die beheer van bosluse vir 2 weke.

### SAMESTELLING

Fipronil 9,7 % m/v

### BERGINGSAAWYSINGS

Berg in 'n koel donker plek onder of by 25 °C.

### WAARSKUWINGS

- MOENIE KATJIES JONGERAS 12 WEKE OUD BEHANDEL NIE.
- Hou buite bereik van oningesigte persone, kinders en diere.
- Alhoewel hierdie middel breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

### VOORSORGMAATREËLS

- Giftig vir visse en bye.
- Vermy kontak met hande en enige ander gedeelte van die liggaaam.
- Was hande met seep en water na gebruik.
- Moenie rook, eet of drink gedurende aanwending van die produk nie.
- Raak ontslae van houers saam met huishoudelike vullis.

### GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI

- MOENIE diere 3 dae voor- of na behandeling bad of sjampoe nie; dit sal die tydsduur van aktiwiteit verminder.
- Maak 'n pipet los van die houer.
- Draai die prop af.
- Verdeel die hare tussen die skouerblaarie totdat die vel sigbaar is. Maak die inhoud van die houer leeg deur verskeie kere direk op die sigbare vel te druk.
- Voorsorg moet geneem word om die hare nie té nat te maak nie; dit sal die hare 'n klewering voorkoms gee by die plek van aanwending. Dit sal nietemin binne 24 ure na aanwending verdwyn.
- Die aktiewe bestanddeel (Fipronil) sal binne 24 ure oor die haarkleed versprei.
- Maandelikse toediening word aanbeveel waar daar 'n hoë risiko van herinfestasie is, as die dier allergies is vir vlooie, of waar bosluis beheer nodig is.

### Aanwending op die vel

1 x pipet van 0,5 ml/kat tot 8 kg

### Nawerking

'n Enkele dosis sal beskerming teen vlooie vir tot 5 weke en teen bosluse vir tot 2 weke verskaf.



Registrasiehouer:

Kyron Vet Rx (Pty) Ltd

Co. Reg. No. 2001/017471/07

41 Park Avenue

Highway Business Park

Rooihuiskraal Ext 31

Centurion, 0157, South Africa