

FOR ANIMAL USE ONLY

TRIWORM-D XL



Reg. No. G3939 Act 36/1947

NSO Reg. No. V14/18.1.8/1246 Act 13/2003

INDICATIONS:

Worm remedy against adult and immature stages of ascarids, hookworms, whipworms and tapeworms in dogs.

COMPOSITION:

Each tablet contains:

Praziquantel 175 mg

Pyrantel pamoate 504 mg

Febantel 525 mg

STORAGE INSTRUCTIONS:

Store below 25 °C.

WARNINGS:

- DO NOT USE SIMULTANEOUSLY WITH PIPERAZINE COMPOUNDS.
- Keep out of reach of uninformed persons, children and animals.
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

DIRECTIONS FOR USE:

USE ONLY AS DIRECTED

- Can be administered directly, or mixed with meat, or crushed and mixed with feed.
- Feeding and fasting before treatment is not necessary.

Dosage:

Dose according to body mass i.e. 1 tablet / 35 kg body mass, plus half a tablet for every additional 17 kg body mass e.g

Body Mass	Dosage
20 - 35 kg	1 tablet
36 - 52 kg	1 ½ tablets
53 - 70 kg	2 tablets

- Dogs should be dewormed at regular intervals of 3 – 6 months in order to control worm infestation.
- Can be given safely to all dogs including old animals, working dogs, greyhounds, and even to pregnant bitches 10 days before whelping.

Efficacy Controls: ≥ 90 % effective	Species
Ascarid	<i>Toxocara canis</i>
Hookworm	<i>Ancylostoma caninum</i>
Tapeworms	<i>Dipylidium caninum</i> <i>Taenia spp.</i> <i>Echinococcus spp.</i>
Whipworm	<i>Trichuris vulpis</i>



Registration Holder:
Kyron Vet Rx (Pty) Ltd
Co. Reg. No. 2001/017471/07
41 Park Avenue
Highway Business Park
Rooihuiskraal Ext 31
Centurion, 0157, South Africa

☎ 010 880 0778 ✉ info@KyronVetRx.com 🌐 kyron.org

SLEGS VIR DIEREGBRUIK

TRIWORM-D XL

Reg. Nr. G3939 Wet 36/1947

NSO Reg. Nr. V14/18.1.8/1246 Wet 13/2003

AANWYSINGS:

Wurmmiddel teen volwasse en onvolwasse stadia van askariedes, haakwurms, sambokwurms en lintwurms in honde

SAMESTELLING:

Elke tablet bevat:

Prasikwantel 175 mg

Pirantielpamoaat 504 mg

Febantel 525 mg

BERGINGSANWYSINGS:

Berg benede 25 °C.

WAARSKUWINGS:

- MOENIE SAAM MET PIPERASIEN SAMESTELLINGS GEBRUIK NIE.
- Hou buite bereik van oningeligte persone, kinders en diere.
- Alhoewel hierdie middel breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

GEBRUIKSAANWYSINGS:

GEBRUIK SLEGS SOOS AANGEDUI

- Kan direk toegedien word, óf met vleis gemeng, óf verkrummel en met kos gemeng.
- Dit is nie nodig om diere te voer of uit te honger voor toediening.

Dosis:

Doseer volgens liggaamsmassa d.w.s. 1 tablet / 35 kg liggaamsmassa, plus halwe tablet vir elke addisionele 17 kg liggaamsmassa bv.

Liggaamsmassa (kg)	Dosis
20 - 35 kg	1 tablet
36 - 52 kg	1 ½ tablet
53 - 70 kg	2 tablet

- Honde moet met gereelde intervalle van 3 - 6 maande ontworm word om wurmbesmetting te beheer.
- Kan met veiligheid toegedien word aan ou diere, werkende honde, windhonde asook dragtige tewe tot 10 dae voor geboorte.

Doeltreffendheid Beheer: ≥ 90 % doeltreffend	Spesie
Askariede	<i>Toxocara canis</i>
Haakwurm	<i>Ancylostoma caninum</i>
Lintwurms	<i>Dipylidium caninum</i> <i>Taenia spp.</i> <i>Echinococcus spp.</i>
Sambokwurm	<i>Trichuris vulpis</i>



Registrasiehouer:

Kyrón Vet Rx (Pty) Ltd

Co. Reg. No. 2001/017471/07

41 Park Avenue

Highway Business Park

Rooihuiskraal Ext 31

Centurion, 0157, South Africa

☎ 010 880 0778 ✉ info@KyrónVetRx.com 🌐 kyrón.org