

FOR ANIMAL USE ONLY

# Pegasol®

Reg. No. G3590 Act 36/1947

NSO V05/18.1.5/286 Act 13/2003

## CAUTION

### INDICATIONS

**Pegasol®** oral paste for horses controls the following parasites:

Large strongyles, small strongyles, pinworms and ascarids. It can safely be used in horses of all ages including pregnant mares, stallions and foals.

### COMPOSITION

Each syringe contains:

Pyrantel pamoate 11,41 g

### STORAGE

Store below 30 °C. Keep away from light.

### WARNINGS

- NO WITHDRAWAL PERIOD.
- DO NOT EXCEED THE RECOMMENDED DOSE.
- Keep out of reach of uninformed persons, children and animals.
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

### DIRECTIONS FOR USE: USE ONLY AS DIRECTED

- Dose orally.
- Because re-infection is common, treatment must be repeated routinely for effective control.

### DOSAGE

- The contents of 1 syringe (26 g) will treat 1 horse of 600 kg body mass.
- Each mass marking on the syringe will deliver 6,5 g of paste, which is sufficient to treat 150 kg body mass.
- This will deliver pyrantel pamoate at 19 mg/kg which is the recommended dosage rate.

### ADMINISTRATION

- Ensure that the horse's mouth is free of food before administration.
- Turn the ring on the plunger to the correct dosage setting in accordance with the horse's weight.
- Insert the syringe into the side of the horse's mouth in the gap between the front and back teeth.
- Advance the plunger to the chosen dosage, depositing the medication at the rear of the tongue.
- Raise the horse's head for a few seconds immediately after dosing to ensure that the full dose has been swallowed.

### EFFICACY

**Pegasol®** broad spectrum parasiticide effectively controls the following worms in horses:

#### Large strongyles

*Strongylus vulgaris*

*Strongylus edentatus*

*Strongylus equinus*

#### Small strongyles

#### Ascarids

*Parascaris equorum*

#### Pinworms

*Oxyuris equi*

*Probstmayria vivipara*

**Pegasol®** aids in the control of immature *Oxyuris equi*.

This anthelmintic may also be effective against other species. For more information consult your veterinarian.



Registration Holder:  
**Kyron Vet Rx (Pty) Ltd**  
Co. Reg. No. 2001/017471/07  
41 Park Avenue  
Highway Business Park  
Rooihuiskraal Ext 31  
Centurion, 0157, South Africa

☎ 010 880 0778    ✉ info@kyronvetrx.com    🌐 kyron.org

## SLEGS VIR DIEREGEBRUIK

# Pegasol®

Reg. Nr. G3590 Wet 36/1947

[NSO] V05/18.1.5/286 Act 13/2003

### VERSIGTIG

#### AANWYSINGS

**Pegasol®** orale pasta vir perde beheer die volgende parasiete:

Groot en klein strongiele, sambokwurms en askariedes. Perde van alle ouderdomme, insluitend dragtige merries, stoethingste en vullens kan sonder newe-effekte behandel word.

#### SAMESTELLING

Elke spuit bevat:

Pirantielpamoaat 11,41 g

#### BERGINGSAAANWYSINGS

Berg benede 30 °C. Hou weg van lig.

#### WAARSKUWINGS

- GEEN ONTREKKINGSPERIODE.
- MOENIE DIE VOORGESKREWE DOSIS OORSKRY NIE.
- Hou buite bereik van ongeligte persone, kinders en diere.
- Alhoewel hierdie middel breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

#### GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI

- Dien oraal toe.
- Omdat herinfestatie algemeen voorkom, behandel gereeld vir doeltreffende beheer.

#### DOSIS

- Die inhoud van 1 spuit (26 g) sal 'n perd van 600 kg liggaamsmassa behandel.
- Elka massamerking op die spuit sal 6,5 g pasta toedien, wat genoeg is om 150 kg liggaamsmassa te behandel.
- Dit sal die aanbevole dosis van 19 mg/kg pirantielpamoaat toedien.

#### TOEDIENING

- Maak seker dat daar geen kos in die perd se bek is nie.
- Draai die ring op die drukker om die dosis te stel ooreenkomstig met die perd se gewig.
- Plaas die spuit in die kant van die perd se bek in die gaping tussen die voor en agtertande.
- Trek die drukker tot by die geselekteerde dosis en deponeer die medikasie agter op die tong.
- Lig onmiddellik die perd se kop vir 'n paar sekondes om te verseker dat die volle dosis ingesluk word.

#### DOELTREFFENDHEID

**Pegasol®** breë-spektrum parasietmiddel bied effektiewe beheer van die volgende wurms in perde:

##### Groot strongiele

*Strongylus vulgaris*

*Strongylus edentatus*

*Strongylus equinus*

##### Klein strongiele

**Askariedes**

*Parascaris equorum*

##### Sambokwurms

*Oxyuris equi*

*Probstomyia vivipara*

**Pegasol®** help in die beheer van onvolwasse *Oxyuris equi*.

Hierdie wurmmiddel mag ook doeltreffend wees teen ander spesies. Vir meer ingligting raadpleeg u veearts.



Registrasiehouer:

**Kyrón Vet Rx (Edms) Bpk**

Reg. No. 2001/017471/07

Parklaan 41

Highway Besigheidspark

Rooihuiskraal Uitbr. 31

Centurion, 0157, Suid-Afrika

☎ 010 880 0778 ✉ info@kyronvetrx.com 🌐 kyron.org